

**Processing Performance and Feature:**

Professional use for processing handles in three holes and the slots which for installing the hardware. The three-hole driller has the special twist drill which can drill the aluminum alloy profile and PVC profile with steel inlaid.

The copy routing size is controlled by the standard template and the proportion is 1:1. Adopt the high-speed copy-routing milling head.

copy routing design which suitable for the requirement in many kinds of size of copying.

Can processing different slots controlled by the pole.



**Technical Parameter**

|                               |              |  |                   |
|-------------------------------|--------------|--|-------------------|
| Input Power                   | 380v/50h     | Copying Routing Range                    | 290mm×90mm        |
| Total Power                   | 2.25kw       | Diameter Of Three-hole Drill             | Φ10mm,φ12mm,φ10mm |
| Working Air Pressure          | 0.4 ~ 0.6mpa | Rotated Speed Of Three Driller           | 9000r/Min         |
| Air Consumption               | 30L/Min      | Adjustable Range Of The Three-hole Drill | 330×85×100mm      |
| Diameter Of Milling Cutter    | Φ5mm、φ8 Mm   | Dimension                                | 4050×1130×1500mm  |
| Machine Head Electromotor RPM | 12000r/Mim   | Weight                                   | 260kg             |

**MODERN TECHNO ENGINEERS**

8421 | Arya Nagar | Paharganj, New Delhi-110055 | India.  
K-5 | B.K. Dutt Colony Jor Bagh New Delhi-110003 | India.

Tel : +91-11-23535170  
Mob. : +91-9871952069

E-mail : [upvcmachines@gmail.com](mailto:upvcmachines@gmail.com)  
Web. : [www.mtemachines.com](http://www.mtemachines.com)

